



Alpha CEP 150

Gear Oil

Description

Castrol Alpha™ CEP 150 is a highly additivated mineral based gear oil. It is designed for Industrial gears and transmissions which require a higher load carrying capability than normal conventional industrial gear oils

Application

Designed for circulation systems, especially for worm, hypoid and press gearbox.

Advantages

- High wear protection under mixed friction conditions (Brugger value > 75 N/mm², FZG A/8.3 /90 - load stage > 12).
- Very good resistance to oxidation.
- High resistance to aging.
- Reliable protection against corrosion.
- Neutral towards conventional sealing materials.
- Silicone free for Automotive applications.

Typical Characteristics

Name	Method	Units	CEP 150
Appearance	Visual	-	Clear & Bright
Density @ 15°C / 59°F	ISO 12185 / ASTM D4052	kg/m ³	905
Kinematic Viscosity @ 40°C / 104°F	ISO 3104 / ASTM D445	mm ² /s	150
Kinematic Viscosity @ 100°C / 212°F	ISO 3104 / ASTM D445	mm ² /s	13.7
Viscosity Index	ISO 2909 / ASTM D2270	-	97
Pour Point	ISO 3016 / ASTM D97	°C	-21
Foam Sequence I - tendency / stability	ISO 6247 / ASTM D892	ml/ml	15/0
Flash Point - open cup method	ISO 2592 / ASTM D92	°C	240
Base Number	ISO 3771 / ASTM D2896	mg KOH/g	11.5
FZG Gear Scuffing test - A/8.3/90	ISO 14635-1	Failure Load Stage	>12
Brugger Test	DIN 51347	N/mm ²	>75

Subject to usual manufacturing conditions.

Alpha CEP 150

28 Mar 2017

Castrol, the Castrol logo and related marks are trademarks of Castrol Limited, used under licence.

This data sheet and the information it contains is believed to be accurate as of the date of printing. However, no warranty or representation, express or implied, is made as to its accuracy or completeness. Data provided is based on standard tests under laboratory conditions and is given as a guide only. Users are advised to ensure that they refer to the latest version of this data sheet. It is the responsibility of the user to evaluate and use products safely, to assess suitability for the intended application and to comply with all applicable laws and regulations. Material Safety Data Sheets are available for all our products and should be consulted for appropriate information regarding storage, safe handling, and disposal of the product. No responsibility is taken by either BP plc or its subsidiaries for any damage or injury resulting from abnormal use of the material, from any failure to adhere to recommendations, or from hazards inherent in the nature of the material. All products, services and information supplied are provided under our standard conditions of sale. You should consult our local representative if you require any further information.

Castrol Industrial, Technology Centre , Whitchurch Hill , Pangbourne , Reading , RG8 7QR , United Kingdom

<http://msdspds.castrol.com>